

[54] BONE MORPHOGENETIC AGENTS

[75] Inventor: Marshall R. Urist, Pacific Palisades, Calif.

[73] Assignee: The Regents of the University of California, Berkeley, Calif.

[21] Appl. No.: 763,479

[22] Filed: Aug. 7, 1985

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 523,606, Aug. 16, 1983, Pat. No. 4,619,989, which is a continuation-in-part of Ser. No. 260,726, May 5, 1981, Pat. No. 4,455,256, which is a continuation of Ser. No. 174,906, Aug. 4, 1980, Pat. No. 4,294,753.

[51] Int. Cl.⁴ C07G 7/00; C09H 1/00; A23J 1/00

[52] U.S. Cl. 530/350; 530/355; 530/356; 530/417; 530/840; 424/95

[58] Field of Search 530/350, 417, 356, 355, 530/840; 424/95

References Cited

U.S. PATENT DOCUMENTS

2,384,673	9/1945	Greffie	530/355
2,717,835	9/1955	Brody	426/607
3,539,549	11/1970	Greenfield	530/419
3,887,717	6/1975	Pfeiffer et al.	426/264
4,243,582	1/1981	Spilburg et al.	530/840
4,294,753	10/1981	Urist	530/395
4,394,370	7/1983	Jefferies	424/423
4,434,094	2/1984	Seyedin et al.	530/416
4,455,256	6/1984	Urist	530/350
4,638,050	1/1987	Aoki et al.	530/350

OTHER PUBLICATIONS

Lancet, May 2, 1981, pp. 959-962, Glowacki et al.
 Proc. Nat. Acad. Sci. U.S.A., (1979), 76(4), pp. 1828-1832, Urist et al.
 Urist, Science, 150, pp. 893-899, (1965).
 Proc. Soc. Exptl. Biology & Med., 162:48-53, (1979), Urist et al.
 Urist et al., 15(4), 269-286, (1974), Calcified Tissue Research.
 Urist et al., Clin. Orthop. Rel. Res. 53,243-283, (1967).
 Clin. Orth. Rel. Res. 154, (1981), pp. 291-295, Baver et al.
 Cell, 28, 96-105 (1981), Termine et al.
 Chemistry and Biology of Mineralized Connective Tissues, Arthur Veis Editor, Conover et al., 597-606, 1981.
 Clin. Orth. Rel. Res. 162 (1982), 219-232, Urist et al.
 J. Biol. Chem., Oct. 25, 1981, Termine et al., pp. 10403-10408.
 Proc. Soc. Expt. Biol. & Med. 173, 194-199 (1983), Urist et al.
 Science, 220, pp. 680-686, Urist et al., May 13, 1983.

Primary Examiner—Morton Foelak
 Assistant Examiner—Nathan M. Nutter
 Attorney, Agent, or Firm—Kenyon & Kenyon

[57] ABSTRACT

The production and isolation of bone morphogenetic peptide agents displaying the osteoinductive and immunoreactive activity of bone morphogenetic protein (BMP) and deriving from natural, synthetic or recombinant DNA sources, and said agents.

21 Claims, 2 Drawing Sheets